



F/A-18C SUPER HORNET NORMAL OPERATION CHECKLIST

REV 1.0



BEFORE START CHECKS

EJECTION SEAT..... SAFE
PARKING BRAKE.....SET
MARTER ARM..... SAFE

START PROCEDURE

BATTERY POWER.....ON
FIRE TEST A..... CHECK
CYCLE BATTERY
FIRE TEST B.....CHECK
APU.....ON
ENGINE CRANK.....RIGHT
WAIT 25% RPM
R. THROTTLEIDLE
ENG TEMPS <750°C
MASTER CAUTION.....OFF
INTERNAL LIGHTS.....AS REQUIRED
LEFT DDI.....FCS
RIGHT DDI.....BIT
ALTITUDE SWITCH.....RADAR
MPCD.....ON
BLEED AIR.....RESET
CANOPY.....CLOSE
PRESURISATION GAUGE.....CHECK
EJECTION SEAT.....ARM
CHECK FCS NO '2's OR 'R's
ENGINE CRANK.....LEFT
WAIT 25% RPM
L. THROTTLE.....IDLE
ENG TEMPS <750°C
CHECK FCS NO '1's OR 'L's
OBOGS.....ON
HOOK BYPASS.....AS REQUIRED
FCS.....RESET
FLAPS..... HALF
RADAR.....OPR
INS..... CV or GND
FCS BIT TEST
LUZU TIME.....SET

FLAPS.....FULL

CHECK SURFACES

HOOK.....DOWN
PITOT HEAT.....ON
AV COOL..... EMERG
PROBE.....EXTEND
SPEED BRAKE.....EXTEND
LAUNCH BAR.....EXTEND
RADIOS.....AS REQUIRED
TACAN.....AS REQUIRED
RADAR ALTIMETER.....AS REQUIRED
BARO ALTIMETER.....AS REQUIRED
STANBY ALTITUDE.....UNCAGE
BINGO FUEL.....AS REQUIRED
ALR-67 SWITCH.....ON
TRIM.....T/O
HOOK.....UP
PITOT HEAT.....AUTO
AV COOL..... NORM
PROBE.....RETRACT
SPEED BRAKE..... RETRACT
LAUNCH BAR..... RETRACT
EXTERNAL LIGHTS.....AS REQUIRED

READY FOR TAXI

NOSE WHEEL.....ON
TAXI LIGHT.....ON
PARKING BRAKE..... REALISE

READY FOR TAKEOFF

WING FOLD.....SPREAD & LOCK
AIR BRAKE.....IN
HOOK.....UP
LAUNCH BAR.....EXTEND
MILITARY POWER 100% <850°C
CHECK BRAKES
MAXIMUM POWER 102% <870°C



F/A-18C SUPER HORNET NORMAL OPERATION CHECKLIST

REV 1.0



ROTATE 120KNOTS

AFTER TAKEOFF

GEAR.....UP
FLAPS.....AUTO
LIGHTS.....AS REQUIRED
PITCH 12°
CLIMB 350KNOTS 10,000FT
PITOT HEAT.....AUTO
DDIs & MCPD.....AS REQUIRED

ABOVE 10,000 FEET

FUEL TRANSFER.....CHECK
RADIO ALTIMETER.....SET
IR COOL.....NORM/ORIDE
PERFORM AIM-7 SP TEST

APPROACH

MASTER ARM.....SAFE
LH DDI.....CHECKLIST
MCPD.....HSI/MAP
RH DDI.....FCS
ALTIMETER & RADAR ALT.....SET
HUD.....CAGE
NAVAIDS.....SET
LH DDI.....HUD
ANTI-SKID.....ON
ANTI-SKIDOFF
HOOK BYPASS.....CARRIER
HOOK.....DOWN
LIGHTS.....AS REQUIRED
PITOT.....AUTO

BEFORE LANDING

GEAR.....DOWN
FLAP.....FULL
AIR BRAKE.....IN
SPEED ON E-BRAKET
ATC MODE.....AS REQUIRED
TRIM FOR 8.1 AOA
ON FINAL
HUD.....UNCAGE

AFTER LANDING FINAL

HOOK.....UP
FLAPS.....AUTO
SEAT.....SAFE
NWS.....ENGAGE

SHUTDOWN

T.O. TRIM BUTTON.....PRESS
LIGHTS.....AS REQUIRED
PARKING BRAKE.....SET
LDG/TAXI LFT.....OFF
OBOGS.....OFF
INS.....UPDATE & OFF
RADAR.....OFF
SARI.....CAGE/LOCK
RADIOS.....OFF
TACAN.....OFF
CANOPY.....OPEN
NWS.....DISENGAGE
FLAP.....FULL
L. THROTTLE.....OFF
DDIs & MCPD.....OFF
LIGHTS.....OFF
R. THROTTLE.....OFF
STROBE LIGHT.....OFF
WHEN AMBER FLAPS LGT ILLUMINATE
BATTERY.....OFF



F/A-18C SUPER HORNET NORMAL OPERATION CHECKLIST

REV 1.0



REFUELING

RADAR.....STBY
MASTER ARM.....SAFE
PROBE.....EXTEND
LIGHTS.....STEADY BRT
VISOR.....DOWN

REFUEL

PROBE.....RETRACT
LIGHTS.....AS REQUIRED
VISOR.....AS REQUIRED
RADAR.....ON
MASTER ARM.....AS REQUIRED